INDEX TO AUTHORS.

A

Angell, H. R. See LINK, ANGELL, and WALKER, 369

Anson, M. L. See MIRSKY and ANSON, 581

Appleman, W. K. See SCHMIDT, APPLEMAN, and KIRK, 723

B

Baker, James P. See SMITH, 407

Barron, E. S. Guzman. Studies on blood cell metabolism. III. The effect of methylene blue on the oxygen consumption of the eggs of the sea urchin and starfish. The mechanism of the action of methylene blue on living cells, 445

—, **Flexner, Louis B.,** and **Michaelis, L.** Oxidation-reduction systems of biological significance. III. The mechanism of the cysteine potential at the mercury electrode, 743

—. See MICHAELIS and BARRON, 29

Bass, Lawrence W. See LEVENE, BASS, ROTHEN, and STEIGER, 687

—. See LEVENE, BASS, and STEIGER, 221, 697

Berg, Clarence P. See COX, KING, and BERG, 755

Bird, Orson D. See COGHILL and BIRD, 115

Bischoff, Fritz, and **Sahyun, Melville.** Denaturation of insulin protein by concentrated sulfuric acid, 167

—, **Sahyun, Melville,** and **Long, M. Louisa.** Guanidine structure and hypoglycemia, 325

Blatherwick, N. R., and **Sahyun, Melville.** The influence of epinephrine and insulin upon the distribution of glycogen, 123

Bliss, Sidney. The amide nitrogen of blood. II. A quantitative method, 129

—. III. Muscular exercise: The rôle of ammonia in the neutralization of lactic acid, 137

—. IV. A method of expressing results based upon the protein content of blood, 405

Bock, A. V. See DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON, 551

—. See HURXTHAL, BOCK, TALBOTT, and DILL, 681

C

Coghill, Robert D., and **Bird, Orson D.** The chemical study of bacteria. XXIV. A proximate chemical analysis of the timothy bacillus, 115

Cori, Carl F., and **Cori, Gerty T.** Glycogen formation in the liver from *d*- and *l*-lactic acid, 389

Cori, Gerty T. See CORI and CORI, 389

Corley, Ralph C. Amino acid catabolism. II. The fate of β-alanine and ε-aminocaproic acid in the phlorhizinized dog, 545

—. Factors in the metabolism of lactose. IV. The disposal of lactose administered to the rabbit, 541

—. Studies on the metabolism of levulose with a colorimetric method for its determination in blood and urine, 81

Cox, Gerald J., King, Harriette, and **Berg, Clarence P.** The preparation of lysine, histidine, and arginine from hydrolyzed blood corpuscle paste by electrical transport, 755

Crist, John W., and **Dye, Marie.** The association of vitamin A with greenness in plant tissue. II. The vitamin A content of asparagus, 525

D

Davenport, H. A., and **Sacks, Jacob.** Muscle phosphorus. II. The acid hydrolysis of lactacidogen, 469

Dill, D. B., Bock, A. V., Lawrence, J. S., Talbott, J. H., and **Henderson, L. J.** Blood as a physicochemical system. VIII. Diabetic coma, 551

—. See HURXTHAL, BOCK, TALBOTT, and DILL, 681

Dye, Marie. See CRIST and DYE, 525

E

Eckstein, H. C. The influence of diet on the body fat of the white rat, 613

Elden, C. A. See SPERRY, ELDEN, ROBSCHEIT-ROBBINS and WHIPPLE, 251

Elvehjem, C. A., and **Lindow, C. W.** The determination of copper in biological materials, 435

Evenden, James. See GAEBLER, 41

F

Ferry, Ronald M., and **Green, Arda Alden.** Studies in the chemistry of hemoglobin. III. The equilibrium between oxygen and hemoglobin and its relation to changing hydrogen ion activity, 175

Fishberg, Ella H. The relations of the serum proteins and lipids to the osmotic pressure, 205

Fiske, Cyrus H., and **Subbarow, Yellapragada.** Phosphocreatine, 629

Flexner, Louis B. See BARRON, FLEXNER, and MICHAELIS, 743

Folin, Otto. The nature of blood sugar, 377

—. Supplementary note on the new ferricyanide method for blood sugar, 231

G

Gaebler, Oliver Henry. Animal calorimetry. XXXVIII. The specific dynamic action of meat in hypophysectomized dogs, 41

Gallup, Willis D. A note on the determination of the digestibility of protein by Bergeim's method, 321
Gersdorff, Charles E. F. See JONES and GERSDORFF, 533
Gray, I. E. See HALL and GRAY, 589
Green, Arda Alden. See FERRY and GREEN, 175
Greenwald, Isidor. A note on ammonium creatinine picrate and its possible use in the preparation of creatinine, 73
Grollman, Arthur. The urine of the goosefish (*Lophius piscatorius*): Its nitrogenous constituents with special reference to the presence in it of trimethylamine oxide, 267
Gross, Erwin G. See UNDERHILL and GROSS, 163

H

Haber, E. S. See HOUSE, NELSON, and HABER, 495
Hall, F. G., and **Gray, I. E.** The hemoglobin concentration of the blood of marine fishes, 589
Haller, H. L. See LEVENE and HALLER, 425, 703
Hawkins, James A., and **Van Slyke, Donald D.** A time method for determination of reducing sugars, and its application to analysis of blood and urine, 459
Heidelberger, Michael. See JACOBS and HEIDELBERGER, 765
Henderson, L. J. See DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON, 551
House, Margaret C., Nelson, P. Mabel, and **Haber, E. S.** The vitamin A, B, and C content of artificially *versus* naturally ripened tomatoes, 495
Hunter, Andrew. The creatine content of the muscles and some other tissues in fishes, 513
—. Further observations on the distribution of arginase in fishes, 505
Hurxthal, L. M., Bock, A. V., Talbott, J. H., and **Dill, D. B.** Alkaline reserve and oxygen capacity of arterial and of venous blood, 681

J

Jacobs, Walter A., and **Heidelberger, Michael.** Sarmentocymarin and sarmentogenin, 765
Johlin, J. M. Interfacial adsorption as a factor in the clotting of blood plasma, 99
Jones, D. Breese, and **Gersdorff, Charles E. F.** Proteins of the avocado (*Persea americana* Mill), 533
Jorpes, Erik. See LEVENE and JORPES, 575

K

Kahn, Bernard S. See ROE and KAHN, 1
Kerr, Stanley E., and **Krikorian, Vartan H.** The effect of insulin on the distribution of non-protein nitrogen in the blood, 421
Kilborn, R. B. See PIERCE and KILBORN, 381

King, Harriette. See Cox, King, and Berg, 755
Kirk, Paul L., and **Schmidt, Carl L. A.** The dissociation constants of certain amino acids, 237
—. See Schmidt, Appleman, and Kirk, 723
—. See Schmidt, Kirk, and Schmidt, 249
Knudson, Arthur, and **Moore, Chester N.** Comparison of the antirachitic potency of ergosterol irradiated by ultraviolet light and by exposure to cathode rays, 49
Krikorian, Vartan H. See Kerr and Krikorian, 421

L

Lawrence, J. S. See Dill, Bock, Lawrence, Talbott, and Henderson, 551
Levene, P. A., Bass, Lawrence W., Rothen, Alexandre, and **Steiger, Robert E.** The effect of ionization upon optical rotation. IV. Further studies on amino acids and peptides, 687
—, —, and **Steiger, Robert E.** The relation of chemical structure to the rate of hydrolysis of ketopiperazines. I. Hydrolysis of N-methylketopiperazines by alkali, 697
—, —, and —. The relation of chemical structure to the rate of hydrolysis of peptides. IV. Enzyme hydrolysis of dipeptides, 221
— and **Haller, H. L.** On the configurational relationship of 3-hydroxybutyric and 3-chlorobutyric acids. With a further note on the configurational relationship of 3-hydroxybutyric acid and methylpropyl carbinol, 425
— and —. On the configurational relationship of lactic acid and 2-chloropropionic acid. With a further note on the configurational relationship of lactic acid and methylpropyl carbinol, 703
— and **Jorpes, Erik.** The rate of hydrolysis of ribonucleotides, 575
— and **London, E. S.** Guanine-desoxypentoside from thymus nucleic acid, 711
— and **Mori, T.** On inosinic acid. IV. The structure of the ribophosphoric acid, 215
— and **Raymond, Albert L.** Hexosemonophosphate (Robison), 279
— and **Rothen, Alexandre.** Reactivity of some carbinols. With a note on Walden inversion, 359
Lewis, Howard B., and **Lough, S. Allan.** The metabolism of sulfur. XIV. A metabolic study of a case of cystinuria, 285
Lindow, C. W. See Elvehjem and Lindow, 435
Link, Karl Paul, Angell, H. R., and **Walker, J. C.** The isolation of protocatechuic acid from pigmented onion scales and its significance in relation to disease resistance in onions, 369
London, E. S. See Levene and London, 711
Long, M. Louisa. See Bischoff, Sahyun, and Long, 325

Lough, S. Allan. See LEWIS and LOUGH, 285

M

Maddock, Stephen J. See TRIMBLE and MADDOCK, 595

Michaelis, L., and **Barron, E. S. Guzman.** Oxidation-reduction systems of biological significance. II. Reducing effect of cysteine induced by free metals, 29

—. See BARRON, FLEXNER, and MICHAELIS, 743

Mirsky, A. E., and **Anson, M. L.** A description of the glass electrode and its use in measuring hydrogen ion concentration, 581

Moore, Chester N. See KNUDSON and MOORE, 49

Mori, T. See LEVENE and MORI, 215

Morse, Fred W. The mineral constituents of cranberries, 77

N

Nelson, P. Mabel. See HOUSE, NELSON, and HABER, 495

O

Oard, Harry C., and **Peters, John P.** The concentration of acid and base in the serum in normal pregnancy, 9

Ochoa, Severo, and **Valdecasas, José G.** A micro method for the estimation of total creatinine in muscle, 351

P

Peters, John P. See OARD and PETERS, 9

Petrelli, Joseph. See UNDERHILL and PETRELLI, 159

Pierce, H. B., and **Kilborn, R. B.** An adaptation of Bergeim's fecal indole method for the quantitative determination of indole in bacterial cultures, 381

R

Raymond, Albert L. See LEVENE and RAYMOND, 279

Robscheit-Robbins, Frieda S. See SPERRY, ELDEN, ROBSCHEIT-ROBBINS, and WHIPPLE, 251

Roe, Joseph H., and **Kahn, Bernard S.** The colorimetric determination of blood calcium, 1

Rothen, Alexandre. See LEVENE, BASS, ROTHEN, and STEIGER, 687

—. See LEVENE and ROTHEN, 359

S

Sacks, Jacob. See DAVENPORT and SACKS, 469

Sahyun, Melville. See BISCHOFF and SAHYUN, 167

—. See BISCHOFF, SAHYUN, and LONG, 325

—. See BLATHERWICK and SAHYUN, 123

Schmidt, Carl L. A., Appleman, W. K., and **Kirk, Paul L.** The effect of the position of substitution on the apparent dissociation constants of certain amino acids, 723

—. See KIRK and SCHMIDT, 237

—. See SCHMIDT, KIRK, and SCHMIDT, 249

Schmidt, Werner, Kirk, Paul L., and **Schmidt, Carl L. A.** The dissociation constants of ornithine, 249
Sheard, Charles. See TAYLOR and SHEARD, 479
Silvette, Herbert. See SMITH, 407
Smith, Homer W. The composition of the body fluids of elasmobranchs, 407
—. The excretion of ammonia and urea by the gills of fish, 727
Sperry, Warren M. Lipid excretion. V. A study of the partition of the fecal lipids with special reference to bacteria, 299
—, **Elden, C. A., Robscheit-Robbins, Frieda S.,** and **Whipple, G. H.** Blood regeneration in severe anemia. XV. Liver fractions and potent factors, 251
Steiger, Robert E. See LEVENE, BASS, ROTHEN, and STEIGER, 687
—. See LEVENE, BASS, and STEIGER, 221, 697
Subbarow, Yellapragada. See FISKE and SUBBAROW, 629

T

Talbott, J. H. See DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON, 551
—. See HURXTHAL, BOCK, TALBOTT, and DILL, 681
Taylor, Nelson W., and **Sheard, Charles.** Microscopic and x-ray investigations on the calcification of tissue, 479
Trimble, Harry C., and **Maddock, Stephen J.** The fluctuations of the capillary blood sugar in normal young men during a twenty-four hour period (including a discussion of the effect of sleep and of mild exercise), 595

U

Underhill, Frank P., and **Gross, Erwin G.** Is there a relationship between the spleen and calcium metabolism? 163
— and **Petrelli, Joseph.** The influence of choline upon blood sugar content, 159

V

Valdecasas, José G. See OCHOA and VALDECASAS, 351
Van Slyke, Donald D. See HAWKINS and VAN SLYKE, 459

W

Wakefield, E. G. The colorimetric determination of total and inorganic sulfates in blood serum, urine, and other body fluids, 713
Walker, J. C. See LINK, ANGELL, and WALKER, 369
Whipple, G. H. See SPERRY, ELDEN, ROBSCHEIT-ROBBINS, and WHIPPLE, 251
Wilder, T. S. The tetany of fasting in experimental rickets, 65

INDEX TO SUBJECTS.

A

Acid(s):
Blood serum concentration, normal pregnancy (Oard and Peters) 9

Adsorption:
Interfacial, blood plasma clotting, factor (Johlin) 99

β-Alanine:
Phlorhizinized dog, fate (Corley) 545

Alkali reserve:
Blood, arterial (Hurxthal, Bock, Talbott, and Dill), 681
—, venous (Hurxthal, Bock, Talbott, and Dill) 681

Amide nitrogen:
Blood. II (Bliss) 129
—. III (Bliss) 137
—. IV (Bliss) 405
—, determination (Bliss) 129
Determination, blood (Bliss) 129
Protein, blood, relation (Bliss) 405

Amino acid(s):
Catabolism. II (Corley) 545
Dissociation constants (Kirk and Schmidt) 237
— —, apparent, effect of position of substitution (Schmidt, Appleman, and Kirk) 723

Amino acid(s)—*continued:*
Ionization effect upon optical rotation (Levene, Bass, Rothen, and Steiger) 687
Optical rotation, ionization, effect (Levene, Bass, Rothen, and Steiger) 687

ε-Aminocaproic acid:
Phlorhizinized dog, fate (Corley) 545

Ammonia:
Excretion, gills, fish (Smith) 727
Lactic acid neutralization, rôle in exercise (Bliss) 137
Exercise, lactic acid neutralization, rôle (Bliss) 137

Ammonium creatinine picrate:
Creatinine preparation, use (Greenwald) 73

Anemia:
Severe, blood regeneration. XV (Sperry, Elden, Robscheit-Robbins, and Whipple) 251
—, liver effect (Sperry, Elden, Robscheit-Robbins, and Whipple) 251

Arginase:
Fish distribution (Hunter) 505

Arginine:
Preparation, blood corpuscle paste, hydrolyzed (Cox, King, and Berg) 755

Asparagus:
Vitamin A content (CRIST and DYE) 525
Avocado:
Proteins (JONES and GERSDORFF) 533

B

Bacillus:
Timothy, chemical analysis (COGHILL and BIRD) 115
Bacteria:
Chemical study. XXIV (COGHILL and BIRD) 115
Cultures, indole determination by Bergeim fecal indole method (PIERCE and KILBORN) 381
Feces, lipid partition (SPERRY) 299
Lipids, feces, partition (SPERRY) 299
Base:
Blood serum concentration, normal pregnancy (OARD and PETERS) 9
Bergeim:
Fecal indole method, indole in bacterial cultures determined by (PIERCE and KILBORN) 381
Protein digestibility, determination (GALLUP) 321
Blood:
Alkali reserve, arterial (HURXTHAL, BOCK, TALBOTT, and DILL) 681
— —, venous (HURXTHAL, BOCK, TALBOTT, and DILL) 681
Amide nitrogen. II (BLISS) 129
Blood—*continued:*
Amide nitrogen. III (BLISS) 137
— —. IV (BLISS) 405
— —, determination (BLISS) 129
— —, protein relation (BLISS) 405
Anemia, severe, regeneration. XV (SPERRY, ELDEN, ROBSCHEIT-ROBBINS, and WHIPPLE) 251
Calcium, colorimetric determination (ROE and KAHN) 1
Diabetic coma, physicochemical properties (DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON) 551
Fish, hemoglobin content (HALL and GRAY) 589
Hemoglobin content, fish (HALL and GRAY) 589
Insulin effect, non-protein nitrogen distribution (KERR and KRIKORIAN) 421
Levulose, colorimetric determination (CORLEY) 81
Non-protein nitrogen distribution, insulin effect (KERR and KRIKORIAN) 421
Oxygen capacity, arterial (HURXTHAL, BOCK, TALBOTT, and DILL) 681
— —, venous (HURXTHAL, BOCK, TALBOTT, and DILL) 681

Blood—*continued:*
Physicochemical system. VIII (DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON) 551
Protein, amide nitrogen relation (BLISS) 405
Regeneration, severe anemia. XV (SPERRY, ELDEN, ROBSCHEIT-ROBBINS, and WHIPPLE) 251
Sugar, capillary, exercise effect (TRIMBLE and MADDOCK) 595
—, —, fluctuations during twenty-four hours (TRIMBLE and MADDOCK) 595
—, —, sleep effect (TRIMBLE and MADDOCK) 595
—, choline influence (UNDERHILL and PETRELLI) 159
—, determination, reducing (HAWKINS and VAN SLYKE) 459
—, ferricyanide method (FOLIN) 231
—, nature (FOLIN) 377
Blood cell:
Arginine preparation, hydrolyzed paste (COX, KING, and BERG) 755
Histidine preparation, hydrolyzed paste (COX, KING, and BERG) 755
Lysine preparation, hydrolyzed paste (COX, KING, and BERG) 755
Metabolism. III (BARRON) 445
Blood corpuscle:
See Blood cell.
Blood plasma:
Clotting, interfacial adsorption factor (JOHLIN) 99
Blood serum:
Acid concentration, normal pregnancy (OARD and PETERS) 9
Base concentration, normal pregnancy (OARD and PETERS) 9
Lipids, osmotic pressure relation (FISHBERG) 205
Proteins, osmotic pressure relation (FISHBERG) 205
Sulfates, inorganic, colorimetric determination (WAKEFIELD) 713
—, total, colorimetric determination (WAKEFIELD) 713

C

Calcification:
Tissue, Roentgen ray and microscopic investigation by (TAYLOR and SHEARD) 479
Calcium:
Blood, colorimetric determination (ROE and KAHN) 1
Colorimetric determination, blood (ROE and KAHN) 1
Metabolism, spleen relation (UNDERHILL and GROSS) 163
Calorimetry:
Animal. XXXVIII (GAEBLER) 41

Carbinol:
Methylpropyl, and lactic acid, configurational relationship (LEVENE and HALLER) 703
—, 3-hydroxybutyric acid, configurational relationship (LEVENE and HALLER) 425
Reactivity (LEVENE and ROTHEN) 359
Walden inversion (LEVENE and ROTHEN) 359
Catabolism:
Amino acid. II (CORLEY) 545
Cathode ray:
Ergosterol irradiation, antirachitic potency (KNUDSON and MOORE) 49
Cell:
Methylene blue action on living, mechanism (BARRON) 445
3-Chlorobutyric acid:
3-Hydroxybutyric acid, configurational relationship (LEVENE and HALLER) 425
2-Chloropropionic acid:
Lactic acid, configurational relationship (LEVENE and HALLER) 703
Choline:
Blood sugar, influence (UNDERHILL and PETRELLI) 159
Clotting:
Blood plasma, interfacial adsorption factor (JOHLIN) 99
Colorimetric method:
Calcium, blood, determination (ROE and KAHN) 1
Colorimetric method— *continued:*
Levulose, blood (CORLEY) 81
—, urine (CORLEY) 81
Sulfates, inorganic, blood serum (WAKEFIELD) 713
—, —, body fluids (WAKEFIELD) 713
—, —, urine (WAKEFIELD) 713
—, total, blood serum (WAKEFIELD) 713
—, —, body fluids (WAKEFIELD) 713
—, —, urine (WAKEFIELD) 713
Coma:
Diabetic, blood, physicochemical properties (DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON) 551
Copper:
Determination, biological materials (ELVEHJEM and LINDOW) 435
Cranberry:
Mineral constituents (MORSE) 77
Creatine:
Fish, muscle (HUNTER) 513
Muscle, fish (HUNTER) 513
Creatinine:
Determination, micro, muscle (OCHOA and VALDECASAS) 351
Muscle, micro method (OCHOA and VALDECASAS) 351
Preparation (GREENWALD) 73

Cysteine:
Potential at mercury electrode, mechanism (BARRON, FLEXNER, and MICHAELIS) 743
Reducing effect induced by free metals (MICHAELIS and BARRON) 29
Cystinuria:
Metabolism (LEWIS and LOUGH) 285

D

Diabetes:
Blood, coma, physicochemical properties (DILL, BOCK, LAWRENCE, TALBOTT, and HENDERSON) 551
Diet:
Fat, body, influence (ECKSTEIN) 613
Digestion:
Protein, Bergeim's method, determination (GALLUP) 321
Dipeptide:
Enzyme hydrolysis (LEVENE, BASS, and STEIGER) 221
Hydrolysis, enzyme (LEVENE, BASS, and STEIGER) 221
Dissociation constant(s):
Amino acids (KIRK and SCHMIDT) 237
Apparent, amino acids, effect of position of substitution (SCHMIDT, APPLEMAN, and KIRK) 723
Ornithine (SCHMIDT, KIRK, and SCHMIDT) 249

E

Elasmobranchs:
Body fluid composition (SMITH) 407
Electrical transport:
Arginine preparation, hydrolyzed blood corpuscle paste (COX, KING, and BERG) 755
Histidine preparation, hydrolyzed blood corpuscle paste (COX, KING, and BERG) 755
Lysine preparation, hydrolyzed blood corpuscle paste (COX, KING, and BERG) 755
Electrode:
Glass, hydrogen ion concentration measured by (MIRSKY and ANSON) 581
Mercury, cysteine potential at, mechanism (BARRON, FLEXNER, and MICHAELIS) 743
Enzyme:
Hydrolysis, dipeptides (LEVENE, BASS and STEIGER) 221
Epinephrine:
Glycogen distribution, influence (BLATHERWICK and SAHYUN) 123
Equilibrium:
Hemoglobin and oxygen, hydrogen ion activity, changing, relation (FERRY and GREEN) 175
Oxygen and hemoglobin, hydrogen ion activity, changing, relation (FERRY and GREEN) 175
Ergosterol:
Cathode ray irradiation, antirachitic potency (KNUDSON and MOORE) 49

Ergosterol—*continued:*
Ultra-violet light irradiation, antirachitic potency (KNUDSON and MOORE) 49
Excretion:
Ammonia, gills, fish (SMITH) 727
Lipid. V (SPERRY) 299
Urea, gills, fish (SMITH) 727
Exercise:
Ammonia rôle in lactic acid neutralization (BLISS) 137
Blood sugar, capillary (TRIMBLE and MADDOCK) 595
Lactic acid neutralization, ammonia rôle (BLISS) 137

F

Fasting:
Tetany, experimental rickets (WILDER) 65
Fat:
Body, diet influence (ECKSTEIN) 613
Feces:
Lipids, bactèria, partition (SPERRY) 299
—, partition (SPERRY) 299
Ferricyanide:
Blood sugar method (FOLIN) 231
Fish:
Ammonia excretion, gills (SMITH) 727
Arginase distribution (HUNTER) 505
Blood, hemoglobin content (HALL and GRAY) 589
Fish—*continued:*
Creatine, muscle and other tissues (HUNTER) 513
Gills, ammonia excretion (SMITH) 727
Gills, urea excretion (SMITH) 727
Hemoglobin content (HALL and GRAY) 589
Muscle, creatine content (HUNTER) 513
Urea excretion, gills (SMITH) 727
Urine, nitrogenous constituents, goosefish (GROLLMAN) 267
—, trimethylamine oxide, goosefish (GROLLMAN) 267

G

Glycogen:
Epinephrine influence, distribution (BLATHERWICK and SAHYUN) 123
Formation, liver, *d*- and *l*-lactic acid (CORI and CORI) 389
Insulin influence, distribution (BLATHERWICK and SAHYUN) 123
Liver, formation from *d*- and *l*-lactic acid (CORI and CORI) 389
Guanidine:
Hypoglycemia and structure (BISCHOFF, SAHYUN, and LONG) 325
Guaninedesoxypentoside:
Thymus nucleic acid (LEVENE and LONDON) 711

H

Hemoglobin:
Blood, fish, content (HALL and GRAY) 589
Chemistry. III (FERRY and GREEN) 175
Equilibrium, oxygen and, hydrogen ion activity, changing, relation (FERRY and GREEN) 175
Fish blood, content (HALL and GRAY) 589
Hexosemonophosphate:
Robison (LEVENE and RAYMOND) 279
Histidine:
Preparation, blood corpuscle paste, hydrolyzed (COX, KING, and BERG) 755
Hydrogen ion concentration:
Glass electrode, measurement (MIRSKY and ANSON) 581
Hemoglobin and oxygen equilibrium, changing, relation (FERRY and GREEN) 175
Oxygen and hemoglobin equilibrium, changing, relation (FERRY and GREEN) 175
3-Hydroxybutyric acid:
3-Chlorobutyric acid, configurational relationship (LEVENE and HALLER) 425
Methylpropyl carbinol, configurational relationship (LEVENE and HALLER) 425
Hypoglycemia:
Guanidine structure and (BISCHOFF, SAHYUN, and LONG) 325
Hypophysectomy:
Specific dynamic action, meat, hypophysectomized dogs (GAEBLER) 41

I

Indole:
Bacterial cultures, determination by Bergeim fecal indole method (PIERCE and KILBORN) 381
Determination, bacterial cultures, Bergeim fecal indole method (PIERCE and KILBORN) 381
Inosinic acid:
IV (LEVENE and MORI) 215
Insulin:
Blood, non-protein nitrogen distribution, effect (KERR and KRIKORIAN) 421
Denaturation (BISCHOFF and SAHYUN) 167
Glycogen distribution, influence (BLATHERWICK and SAHYUN) 123
Non-protein nitrogen, blood, distribution, effect (KERR and KRIKORIAN) 421
Ionization:
Optical rotation, effect. IV (LEVENE, BASS, ROTHEN, and STEIGER) 687

K

Ketopiperazine:
Chemical structure and hydrolysis rate, relation. I (LEVENE, BASS, and STEIGER) 697

Ketopiperazine—*continued:*
Hydrolysis rate and chemical structure, relation. I (LEVENE, BASS, and STEIGER) 697
Nitrogen methyl-, hydrolysis, alkali (LEVENE, BASS, and STEIGER) 697

L

Lactacidogen:
Hydrolysis, acid (DAVENPORT and SACKS) 469
Lactic acid:
Ammonia rôle in neutralization, muscular exercise (BLISS) 137
2-Chloropropionic acid, configurational relationship (LEVENE and HALLER) 703
Exercise, ammonia rôle in neutralization (BLISS) 137
Methylpropyl carbinol, configurational relationship (LEVENE and HALLER) 703
***d*-Lactic acid:**
Glycogen formation in liver from (CORI and CORI) 389
***l*-Lactic acid:**
Glycogen formation in liver from (CORI and CORI) 389
Lactose:
Metabolism. IV (CORLEY) 541
Rabbit, fate (CORLEY) 541
Levulose:
Colorimetric method, blood (CORLEY) 81
— —, urine (CORLEY) 81
Levulose—*continued:*
Metabolism (CORLEY) 81
Light:
See Ultra-violet light.
Lipid:
Bacteria, feces, partition (SPERRY) 299
Blood serum, osmotic pressure relation (FISHBERG) 205
Excretion. V (SPERRY) 299
Feces, partition (SPERRY) 299
Liver:
Anemia, severe, fractions (SPERRY, ELDEN, ROBSCHEIT-ROBBINS, and WHIPPLE) 251
Glycogen formation from *d*- and *l*-lactic acid (CORI and CORI) 389
Lophius piscatorius:
Urine, nitrogenous constituents (GROLLMAN) 267
—, trimethylamine oxide (GROLLMAN) 267
Lysine:
Preparation, blood corpuscle paste, hydrolyzed (COX, KING, and BERG) 755

M

Meat:
Specific dynamic action, hypophysectomized dogs (GAEBLER) 41
Mercury:
Electrode, cysteine potential at, mechanism (BARRON, FLEXNER, and MICHAELIS) 743

Metabolism:
Blood cell. III (Barron) 445
Calcium, spleen relation (Underhill and Gross) 163
Cystinuria (Lewis and Lough) 285
Lactose. IV (Corley) 541
Levulose (Corley) 81
Sulfur. XIV (Lewis and Lough) 285
Methylene blue:
Mechanism of action, living cells (Barron) 445
Oxygen consumption, eggs of sea urchin and starfish (Barron) 445
Methylpropyl carbinol:
3-Hydroxybutyric acid, configurational relationship (Levene and Haller) 425
Lactic acid and, configurational relationship (Levene and Haller) 703
Mineral:
Cranberry, constituents (Morse) 77
Muscle:
Creatine, fish (Hunter) 513
Creatinine, micro method (Ochoa and Valdecasas) 351
Fish, creatine (Hunter) 513
Phosphorus. II (Davenport and Sacks) 469

N

Nitrogen:
Amide, blood. II (Bliss) 129
—, —. III (Bliss) 137
—, —. IV (Bliss) 405
—, —, determination (Bliss) 129
—, — protein relation (Bliss) 405
Non-protein, blood, insulin effect on distribution (Kerr and Krikorian) 421
Urine, goosefish, constituents (Grollman) 267
Nitrogen-methylketopiperazine:
Hydrolysis, alkali (Levene, Bass, and Steiger) 697
Nucleic acid:
Thymus, guaninedesoxypentoside from (Levene and London) 711

O

Onion:
Disease resistance, protocatechuic acid, relation (Link, Angell, and Walker) 369
Protocatechuic acid, disease resistance, relation (Link, Angell, and Walker) 369
— —, isolation (Link, Angell, and Walker) 369
Optical rotation:
Ionization effect. IV (Levene, Bass, Rothen, and Steiger) 687
See also Walden inversion.

Ornithine:
Dissociation constants (SCHMIDT, KIRK, and SCHMIDT) 249
Osmotic pressure:
Blood serum lipids, relation (FISHBERG) 205
— — proteins, relation (FISHBERG) 205
Lipids, blood serum, relation (FISHBERG) 205
Proteins, blood serum, relation (FISHBERG) 205
Oxidation-reduction:
Systems, biological significance. II (MICHAELIS and BARRON) 29
—, — —. III (BARRON, FLEXNER, and MICHAELIS) 743
Oxygen:
Capacity, blood, arterial (HURXTHAL, BOCK, TALBOTT, and DILL) 681
—, —, venous (HURXTHAL, BOCK, TALBOTT, and DILL) 681
Consumption, eggs of sea urchin and starfish, methylene blue effect (BARRON) 445
—, methylene blue effect, eggs of sea urchin and starfish (BARRON) 445
Equilibrium, hemoglobin and, hydrogen ion activity, changing, relation (FERRY and GREEN) 175

P

Peptide:
Chemical structure, hydrolysis rate, relation. IV (LEVENE, BASS, and STEIGER) 221
Hydrolysis, rate, chemical structure, relation. IV (LEVENE, BASS, and STEIGER) 221
Ionization effect on optical rotation (LEVENE, BASS, ROTHEN, and STEIGER) 687
Optical rotation, ionization, effect (LEVENE, BASS, ROTHEN, and STEIGER) 687
Persea americana Mill:
Proteins (JONES and GERSDORFF) 533
Phlorhizin:
β-Alanine, phlorhizinized dog, fate (CORLEY) 545
ε-Aminocaproic acid, phlorhizinized dog, fate (CORLEY) 545
Phosphocreatine:
(FISKE and SUBBAROW) 629
Phosphorus:
Muscle. II (DAVENPORT and SACKS) 469
Plant:
Tissue, greenness, vitamin A association. II (CRIST and DYE) 525
Potential:
Cysteine, at mercury electrode, mechanism (BARRON, FLEXNER, and MICHAELIS) 743

Pregnancy:
Blood serum, acid concentration (OARD and PETERS) 9
— —, base concentration (OARD and PETERS) 9
Protein(s):
Avocado (JONES and GERSDORFF) 533
Blood, amide nitrogen relation (BLISS) 405
— serum, osmotic pressure relation (FISHBERG) 205
Digestibility, Bergeim's method, determination (GALLUP) 321
Insulin, denaturation (BISCHOFF and SAHYUN) 167
Protocatechuic acid:
Isolation, onion scales (LINK, ANGELL, and WALKER) 369
Onion, disease resistance, relation (LINK, ANGELL, and WALKER) 369
— scales, isolation (LINK, ANGELL, and WALKER) 369

R

Ray:
See Cathode ray, Roentgen ray.
Ribonucleotide:
Hydrolysis rate (LEVENE and JORPES) 575
Ribophosphoric acid:
Structure (LEVENE and MORI) 215
Rickets:
Ergosterol irradiated by cathode rays, antirachitic potency (KNUDSON and MOORE) 49
Rickets—*continued:*
Ergosterol irradiated by ultra-violet light, antirachitic potency (KNUDSON and MOORE) 49
Tetany, fasting (WILDER) 65
Robison:
Hexosemonophosphate (LEVENE and RAYMOND) 279
Roentgen ray:
Tissue calcification, investigation by (TAYLOR and SHEARD) 479

S

Sarmentocymarin:
(JACOBS and HEIDELBERGER) 765
Sarmentogenin:
(JACOBS and HEIDELBERGER) 765
Sea urchin:
Methylene blue effect, oxygen consumption, eggs (BARRON) 445
Oxygen consumption, methylene blue effect, eggs (BARRON) 445
Sleep:
Blood sugar, capillary (TRIMBLE and MADDOCK) 595
Specific dynamic action:
Meat, hypophysectomized dogs (GAEBLER) 41
Spleen:
Calcium metabolism relation (UNDERHILL and GROSS) 163
Starfish:
Methylene blue effect, oxygen consumption, eggs (BARRON) 445
Oxygen consumption, methylene blue effect, eggs (BARRON) 445

Sugar:
Blood, capillary, exercise effect (TRIMBLE and MADDOCK) 595
—, —, fluctuations during twenty-four hours (TRIMBLE and MADDOCK) 595
—, —, sleep effect (TRIMBLE and MADDOCK) 595
—, choline influence (UNDERHILL and PETRELLI) 159
—, determination, reducing (HAWKINS and VAN SLYKE) 459
—, ferricyanide method (FOLIN) 231
—, nature (FOLIN) 377
Reducing, blood, determination (HAWKINS and VAN SLYKE) 459
—, determination, time method (HAWKINS and VAN SLYKE) 459
—, urine, determination (HAWKINS and VAN SLYKE) 459
Urine, determination, reducing (HAWKINS and VAN SLYKE) 459
Sulfate(s):
Determination, inorganic, colorimetric, body fluids (WAKEFIELD) 713
—, total, colorimetric, body fluids (WAKEFIELD) 713
Inorganic, blood serum, colorimetric determination (WAKEFIELD) 713
—, body fluids, colorimetric determination (WAKEFIELD) 713
Sulfates—*continued:*
Inorganic, urine, colorimetric determination (WAKEFIELD) 713
Total, blood serum, colorimetric determination (WAKEFIELD) 713
—, body fluids, colorimetric determination (WAKEFIELD) 713
—, urine, colorimetric determination (WAKEFIELD) 713
Sulfur:
Metabolism. XIV (LEWIS and LOUGH) 285

T

Tetany:
Fasting, experimental rickets (WILDER) 65
Rickets, experimental, fasting (WILDER) 65
Thymus:
Nucleic acid, guaninedesoxypentoside from (LEVENE and LONDON) 711
Timothy:
Bacillus, chemical analysis (COGHILL and BIRD) 115
Tissue:
Calcification, Roentgen ray and microscopic investigation by (TAYLOR and SHEARD) 479
Creatine, fish (HUNTER) 513
Plant, vitamin A association with greenness. II (CRIST and DYE) 525

Tomato:
Vitamins, artificially ripened (HOUSE, NELSON, and HABER) 495
—, naturally ripened (HOUSE, NELSON, and HABER) 495
Trimethylamine oxide:
Goosefish, urine (GROLLMAN) 267
Urine, goosefish (GROLLMAN) 267

U

Ultra-violet light:
Ergosterol irradiation, antirachitic potency (KNUDSON and MOORE) 49
Urea:
Excretion, gills, fish (SMITH) 727
Urine:
Goosefish, nitrogenous constituents (GROLLMAN) 267
—, trimethylamine oxide (GROLLMAN) 267
Levulose, colorimetric determination (CORLEY) 81
Nitrogenous constituents, goosefish (GROLLMAN) 267
Sugar, determination, reducing (HAWKINS and VAN SLYKE) 459
Sulfates, inorganic, colorimetric determination (WAKEFIELD) 713
—, total, colorimetric determination (WAKEFIELD) 713
Urine—*continued:*
Trimethylamine oxide, goosefish (GROLLMAN) 267

V

Vitamin(s):
A, asparagus (CRIST and DYE) 525
—, greenness, association. II (CRIST and DYE) 525
—, tomato, artificially ripened (HOUSE, NELSON, and HABER) 495
—, —, naturally ripened (HOUSE, NELSON, and Haber) 495
B, tomato, artificially ripened (HOUSE, NELSON, and HABER) 495
—, —, naturally ripened (HOUSE, NELSON, and HABER) 495
C, tomato, artificially ripened (HOUSE, NELSON, and HABER) 495
—, —, naturally ripened (HOUSE, NELSON, and HABER) 495

W

Walden inversion:
Carbinols (LEVENE and ROTHEN) 359

X

X-ray:
See Roentgen ray.